

March 12, 2021

John Tranter
Intertek PSI
104 Erie Boulevard
Suite 1
Schenectady, NY 12305

RE: Project: SCOTIA GLENVILLE CSD 2/13
Pace Project No.: 70164735

Dear John Tranter:

Enclosed are the analytical results for sample(s) received by the laboratory between March 02, 2021 and March 05, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari
nicolette.lovari@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: William Kotas, Intertek PSI



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Pace Analytical Services Long Island

Delaware Certification # NY10478

Virginia Certification # 460302

Delaware Certification # NY10478

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS001		Lab ID: 70164735001	Collected: 02/13/21 12:20	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	13.3	ug/L	1.0	1		03/10/21 16:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS005		Lab ID: 70164735002		Collected: 02/13/21 12:23		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/10/21 16:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS008		Lab ID: 70164735003	Collected: 02/13/21 12:33	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	11.3	ug/L	1.0	1		03/10/21 16:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS009		Lab ID: 70164735004		Collected: 02/13/21 12:34		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	34.3	ug/L	1.0	1		03/10/21 16:23	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS010		Lab ID: 70164735005		Collected: 02/13/21 12:35		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	21.4	ug/L	1.0	1		03/10/21 16:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS011		Lab ID: 70164735006		Collected: 02/13/21 12:36		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.5	ug/L	1.0	1		03/10/21 16:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS012		Lab ID: 70164735007		Collected: 02/13/21 12:37	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/10/21 16:27	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS013		Lab ID: 70164735008		Collected: 02/13/21 12:38		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.5	ug/L	1.0	1		03/10/21 16:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS014		Lab ID: 70164735009	Collected: 02/13/21 12:39	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.4	ug/L	1.0	1		03/10/21 16:29	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS016		Lab ID: 70164735010	Collected: 02/13/21 12:49	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.5	ug/L	1.0	1		03/10/21 16:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS017		Lab ID: 70164735011		Collected: 02/13/21 12:50		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.6	ug/L	1.0	1		03/10/21 16:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS018		Lab ID: 70164735012		Collected: 02/13/21 13:04		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.3	ug/L	1.0	1		03/10/21 16:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS019		Lab ID: 70164735013		Collected: 02/13/21 13:05	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/10/21 16:36	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS020		Lab ID: 70164735014		Collected: 02/13/21 13:06		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.9	ug/L	1.0	1		03/10/21 16:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS032		Lab ID: 70164735015		Collected: 02/13/21 13:25		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	24.8	ug/L	1.0	1		03/10/21 16:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS033		Lab ID: 70164735016		Collected: 02/13/21 13:26		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.0	ug/L	1.0	1		03/10/21 16:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS034		Lab ID: 70164735017	Collected: 02/13/21 13:31	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	34.9	ug/L	1.0	1		03/10/21 16:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS035		Lab ID: 70164735018	Collected: 02/13/21 13:32	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	22.7	ug/L	1.0	1		03/10/21 16:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS036		Lab ID: 70164735019		Collected: 02/13/21 13:34		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	21.0	ug/L	1.0	1		03/10/21 16:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS037		Lab ID: 70164735020	Collected: 02/13/21 13:35	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	14.2	ug/L	1.0	1		03/10/21 16:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS038		Lab ID: 70164735021	Collected: 02/13/21 13:42	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.5	ug/L	1.0	1		03/10/21 16:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS039		Lab ID: 70164735022		Collected: 02/13/21 13:44		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.3	ug/L	1.0	1		03/10/21 16:52	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS040		Lab ID: 70164735023		Collected: 02/13/21 13:53		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	11.6	ug/L	1.0	1		03/10/21 16:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS042		Lab ID: 70164735024	Collected: 02/13/21 14:00	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.3	ug/L	1.0	1		03/10/21 16:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS043		Lab ID: 70164735025		Collected: 02/13/21 14:01		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.8	ug/L	1.0	1		03/10/21 16:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS044		Lab ID: 70164735026		Collected: 02/13/21 14:05		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	20.2	ug/L	1.0	1		03/10/21 16:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS045		Lab ID: 70164735027	Collected: 02/13/21 14:06	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	17.4	ug/L	1.0	1		03/10/21 16:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS046		Lab ID: 70164735028	Collected: 02/13/21 14:07	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	13.3	ug/L	1.0	1		03/10/21 16:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS047		Lab ID: 70164735029		Collected: 02/13/21 14:08		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	40.0	ug/L	1.0	1		03/10/21 17:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS048		Lab ID: 70164735030		Collected: 02/13/21 14:13		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	28.3	ug/L	1.0	1		03/10/21 17:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS049		Lab ID: 70164735031	Collected: 02/13/21 14:19	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	28.0	ug/L	1.0	1		03/10/21 17:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS050		Lab ID: 70164735032		Collected: 02/13/21 14:15		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	26.0	ug/L	1.0	1		03/10/21 17:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS051		Lab ID: 70164735033		Collected: 02/13/21 14:16		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.9	ug/L	1.0	1		03/10/21 17:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS053		Lab ID: 70164735034		Collected: 02/13/21 14:17		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	28.4	ug/L	1.0	1		03/10/21 17:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS054		Lab ID: 70164735035		Collected: 02/13/21 14:23		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.6	ug/L	1.0	1		03/10/21 17:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS055		Lab ID: 70164735036	Collected: 02/13/21 14:28	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.3	ug/L	1.0	1		03/10/21 17:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS057		Lab ID: 70164735037		Collected: 02/13/21 14:33		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.4	ug/L	1.0	1		03/10/21 17:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS058		Lab ID: 70164735038	Collected: 02/13/21 14:34	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	21.4	ug/L	1.0	1		03/10/21 17:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS062		Lab ID: 70164735039	Collected: 02/13/21 14:39	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	10.6	ug/L	1.0	1		03/10/21 17:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS064		Lab ID: 70164735040	Collected: 02/13/21 14:42	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	30.5	ug/L	1.0	1		03/10/21 17:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS066		Lab ID: 70164735041	Collected: 02/13/21 14:59	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	27.9	ug/L	1.0	1		03/10/21 17:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS067		Lab ID: 70164735042	Collected: 02/13/21 15:00	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	32.0	ug/L	1.0	1		03/10/21 17:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS068		Lab ID: 70164735043		Collected: 02/13/21 15:01	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	18.2	ug/L	1.0	1		03/10/21 17:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS069		Lab ID: 70164735044		Collected: 02/13/21 15:02		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	11.6	ug/L	1.0	1		03/10/21 17:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS070		Lab ID: 70164735045		Collected: 02/13/21 15:08		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.3	ug/L	1.0	1		03/10/21 17:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS073		Lab ID: 70164735046		Collected: 02/13/21 15:17		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/10/21 17:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS076		Lab ID: 70164735047		Collected: 02/13/21 15:11		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	21.7	ug/L	1.0	1		03/10/21 17:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS077		Lab ID: 70164735048	Collected: 02/13/21 15:12	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.1	ug/L	1.0	1		03/10/21 17:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS078		Lab ID: 70164735049		Collected: 02/13/21 15:13		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.3	ug/L	1.0	1		03/10/21 17:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS079		Lab ID: 70164735050		Collected: 02/13/21 15:14		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	4.3	ug/L	1.0	1		03/10/21 17:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS090		Lab ID: 70164735051	Collected: 02/27/21 07:17	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4170	ug/L	10.0	10		03/11/21 13:14	7439-92-1	M6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS091		Lab ID: 70164735052		Collected: 02/27/21 07:21		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.7	ug/L	1.0	1		03/10/21 17:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS092		Lab ID: 70164735053		Collected: 02/27/21 07:22		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.5	ug/L	1.0	1		03/10/21 17:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS093		Lab ID: 70164735054		Collected: 02/27/21 07:25		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	34.3	ug/L	1.0	1		03/10/21 17:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS094		Lab ID: 70164735055	Collected: 02/27/21 07:27	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	13.0	ug/L	1.0	1		03/10/21 17:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS095		Lab ID: 70164735056		Collected: 02/27/21 07:29		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	19.4	ug/L	1.0	1		03/10/21 17:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS096		Lab ID: 70164735057		Collected: 02/27/21 07:30		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.2	ug/L	1.0	1		03/10/21 17:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS100		Lab ID: 70164735058		Collected: 02/27/21 07:38		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		03/10/21 17:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS101		Lab ID: 70164735059		Collected: 02/27/21 07:39		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	11.0	ug/L	1.0	1		03/10/21 17:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS102		Lab ID: 70164735060	Collected: 02/27/21 07:40	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		03/10/21 17:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS103		Lab ID: 70164735061	Collected: 02/27/21 07:41	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	42.8	ug/L	1.0	1		03/10/21 17:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS104		Lab ID: 70164735062		Collected: 02/27/21 07:45		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.8	ug/L	1.0	1		03/10/21 17:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS105		Lab ID: 70164735063		Collected: 02/27/21 07:46		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	15.0	ug/L	1.0	1		03/10/21 17:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS106		Lab ID: 70164735064		Collected: 02/27/21 07:47		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.4	ug/L	1.0	1		03/10/21 17:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS107		Lab ID: 70164735065		Collected: 02/27/21 07:48		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	13.3	ug/L	1.0	1		03/10/21 17:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS122		Lab ID: 70164735066		Collected: 02/27/21 07:55		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	31.7	ug/L	1.0	1		03/10/21 17:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS123		Lab ID: 70164735067		Collected: 02/27/21 07:56		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		03/10/21 17:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS126		Lab ID: 70164735068		Collected: 02/27/21 08:08		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		03/10/21 18:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS141		Lab ID: 70164735069		Collected: 02/27/21 08:12		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.5	ug/L	1.0	1		03/10/21 18:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS146		Lab ID: 70164735070	Collected: 02/27/21 08:19	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	121	ug/L	1.0	1		03/10/21 18:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS147		Lab ID: 70164735071		Collected: 02/27/21 08:21		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	45.2	ug/L	1.0	1		03/10/21 18:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS148		Lab ID: 70164735072		Collected: 02/27/21 08:25		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	26.2	ug/L	1.0	1		03/10/21 18:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS149		Lab ID: 70164735073		Collected: 02/27/21 08:28		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.9	ug/L	1.0	1		03/10/21 18:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS150		Lab ID: 70164735074		Collected: 02/27/21 08:29		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	12.7	ug/L	1.0	1		03/10/21 18:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS151		Lab ID: 70164735075		Collected: 02/27/21 08:30	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	9.8	ug/L	1.0	1		03/10/21 18:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS153		Lab ID: 70164735076		Collected: 02/27/21 08:36		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	50.6	ug/L	1.0	1		03/11/21 11:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS154		Lab ID: 70164735077		Collected: 02/27/21 08:37		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	45.4	ug/L	1.0	1		03/11/21 11:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS155		Lab ID: 70164735078		Collected: 02/27/21 08:38	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	53.4	ug/L	1.0	1		03/11/21 11:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS156		Lab ID: 70164735079	Collected: 02/27/21 08:39	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	42.3	ug/L	1.0	1		03/11/21 11:17	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS157		Lab ID: 70164735080		Collected: 02/27/21 08:40		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	20.2	ug/L	1.0	1		03/11/21 11:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS159		Lab ID: 70164735081	Collected: 02/27/21 08:51	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	44.7	ug/L	1.0	1		03/11/21 11:21	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS160		Lab ID: 70164735082		Collected: 02/27/21 08:52		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	77.2	ug/L	1.0	1		03/11/21 11:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS161		Lab ID: 70164735083		Collected: 02/27/21 08:53		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	73.5	ug/L	1.0	1		03/11/21 11:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS162		Lab ID: 70164735084		Collected: 02/27/21 08:54		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	85.8	ug/L	1.0	1		03/11/21 11:28	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS163		Lab ID: 70164735085		Collected: 02/27/21 08:55		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	44.0	ug/L	1.0	1		03/11/21 11:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS164		Lab ID: 70164735086		Collected: 02/27/21 09:01		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	24.2	ug/L	1.0	1		03/11/21 11:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS165		Lab ID: 70164735087		Collected: 02/27/21 09:03		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	59.4	ug/L	1.0	1		03/11/21 11:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS167		Lab ID: 70164735088		Collected: 02/27/21 09:08		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	79.9	ug/L	1.0	1		03/11/21 11:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS169		Lab ID: 70164735089	Collected: 02/27/21 09:09	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	41.0	ug/L	1.0	1		03/11/21 11:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS170		Lab ID: 70164735090		Collected: 02/27/21 09:16		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	35.5	ug/L	1.0	1		03/11/21 11:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS173		Lab ID: 70164735091	Collected: 02/27/21 09:21	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	8.6	ug/L	1.0	1		03/11/21 11:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS174		Lab ID: 70164735092		Collected: 02/27/21 09:22		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		03/11/21 11:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS175		Lab ID: 70164735093		Collected: 02/27/21 09:23		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	21.8	ug/L	1.0	1		03/11/21 11:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS176		Lab ID: 70164735094		Collected: 02/27/21 09:24		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.6	ug/L	1.0	1		03/11/21 11:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS177		Lab ID: 70164735095		Collected: 02/27/21 09:27		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	16.6	ug/L	1.0	1		03/11/21 11:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS178		Lab ID: 70164735096		Collected: 02/27/21 09:28		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	18.4	ug/L	1.0	1		03/11/21 11:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS179		Lab ID: 70164735097		Collected: 02/27/21 09:29		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	20.4	ug/L	1.0	1		03/11/21 11:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS180		Lab ID: 70164735098		Collected: 02/27/21 09:30		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	82.9	ug/L	1.0	1		03/11/21 11:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS185		Lab ID: 70164735099		Collected: 02/27/21 09:37		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.6	ug/L	1.0	1		03/11/21 11:47	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS186		Lab ID: 70164735100		Collected: 02/27/21 09:39		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	14.2	ug/L	1.0	1		03/11/21 11:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS187		Lab ID: 70164735101	Collected: 02/27/21 09:42	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.3	ug/L	1.0	1		03/11/21 11:52	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS188		Lab ID: 70164735102	Collected: 02/27/21 09:44	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		03/11/21 11:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS001		Lab ID: 70164735103	Collected: 02/13/21 07:04	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.1	ug/L	1.0	1		03/11/21 11:56	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS002		Lab ID: 70164735104		Collected: 02/13/21 07:05		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.8	ug/L	1.0	1		03/11/21 11:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS004		Lab ID: 70164735105	Collected: 02/13/21 07:00	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 11:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS005		Lab ID: 70164735106		Collected: 02/13/21 07:01		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/11/21 12:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS006		Lab ID: 70164735107		Collected: 02/13/21 06:56		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.9	ug/L	1.0	1		03/11/21 12:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS011		Lab ID: 70164735108		Collected: 02/13/21 07:13		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.5	ug/L	1.0	1		03/11/21 12:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS014		Lab ID: 70164735109	Collected: 02/13/21 07:16	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	8.7	ug/L	1.0	1		03/11/21 12:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS015		Lab ID: 70164735110		Collected: 02/13/21 07:17		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.1	ug/L	1.0	1		03/11/21 12:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS016		Lab ID: 70164735111		Collected: 02/13/21 07:18		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.5	ug/L	1.0	1		03/11/21 12:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS017		Lab ID: 70164735112		Collected: 02/13/21 07:19		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	26.6	ug/L	1.0	1		03/11/21 12:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS018		Lab ID: 70164735113		Collected: 02/13/21 07:22		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.8	ug/L	1.0	1		03/11/21 12:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS019		Lab ID: 70164735114		Collected: 02/13/21 07:23		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	9.5	ug/L	1.0	1		03/11/21 12:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS021		Lab ID: 70164735115		Collected: 02/13/21 07:25		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.2	ug/L	1.0	1		03/11/21 12:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS024		Lab ID: 70164735116		Collected: 02/13/21 07:41	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.6	ug/L	1.0	1		03/11/21 12:16	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS025		Lab ID: 70164735117		Collected: 02/13/21 07:42		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.8	ug/L	1.0	1		03/11/21 12:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS026		Lab ID: 70164735118	Collected: 02/13/21 07:46	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	8.6	ug/L	1.0	1		03/11/21 12:18	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS027		Lab ID: 70164735119	Collected: 02/13/21 07:47	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	52.0	ug/L	1.0	1		03/11/21 12:19	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS029		Lab ID: 70164735120		Collected: 02/13/21 07:56		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.6	ug/L	1.0	1		03/11/21 12:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS031		Lab ID: 70164735121	Collected: 02/13/21 07:58	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	6.9	ug/L	1.0	1		03/11/21 12:23	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS032		Lab ID: 70164735122		Collected: 02/13/21 08:03		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.7	ug/L	1.0	1		03/11/21 12:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS034		Lab ID: 70164735123		Collected: 02/13/21 08:05		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	10.7	ug/L	1.0	1		03/11/21 12:29	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS036		Lab ID: 70164735124	Collected: 02/13/21 08:10	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 12:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS037		Lab ID: 70164735125	Collected: 02/13/21 08:12	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 12:31	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS038		Lab ID: 70164735126		Collected: 02/13/21 08:17		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/11/21 12:32	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS039		Lab ID: 70164735127	Collected: 02/13/21 08:19	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.8	ug/L	1.0	1		03/11/21 12:33	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS040		Lab ID: 70164735128	Collected: 02/13/21 08:20	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	14.8	ug/L	1.0	1		03/11/21 12:34	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS041		Lab ID: 70164735129		Collected: 02/13/21 08:21	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	10	ug/L	1.0	1		03/11/21 12:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS042		Lab ID: 70164735130	Collected: 02/13/21 08:22	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.0	ug/L	1.0	1		03/11/21 12:38	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS043		Lab ID: 70164735131	Collected: 02/13/21 08:24	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.6	ug/L	1.0	1		03/11/21 12:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS044		Lab ID: 70164735132		Collected: 02/13/21 08:31	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.4	ug/L	1.0	1		03/11/21 12:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS045		Lab ID: 70164735133	Collected: 02/13/21 08:32	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	9.1	ug/L	1.0	1		03/11/21 12:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS046		Lab ID: 70164735134		Collected: 02/13/21 08:33		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	44.0	ug/L	1.0	1		03/11/21 12:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS055		Lab ID: 70164735135		Collected: 02/13/21 08:46		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/11/21 12:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS056		Lab ID: 70164735136		Collected: 02/13/21 08:48		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.2	ug/L	1.0	1		03/11/21 12:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS058		Lab ID: 70164735137	Collected: 02/13/21 08:49	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.0	ug/L	1.0	1		03/11/21 12:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS059		Lab ID: 70164735138		Collected: 02/13/21 08:53		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		03/11/21 12:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS061		Lab ID: 70164735139		Collected: 02/13/21 08:54		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.7	ug/L	1.0	1		03/11/21 12:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS070		Lab ID: 70164735140		Collected: 02/13/21 09:46		Received: 03/02/21 16:00		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		03/11/21 12:52	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS071		Lab ID: 70164735141	Collected: 02/13/21 09:51	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.9	ug/L	1.0	1		03/11/21 12:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS072		Lab ID: 70164735142	Collected: 02/13/21 09:52	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.1	ug/L	1.0	1		03/11/21 12:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS075		Lab ID: 70164735143	Collected: 02/13/21 09:58	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.2	ug/L	1.0	1		03/11/21 12:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS077		Lab ID: 70164735144		Collected: 02/13/21 09:59	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	5.1	ug/L	1.0	1		03/11/21 13:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS082		Lab ID: 70164735145	Collected: 02/13/21 10:04	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.9	ug/L	1.0	1		03/11/21 13:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS083		Lab ID: 70164735146	Collected: 02/13/21 10:07	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.6	ug/L	1.0	1		03/11/21 13:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS084		Lab ID: 70164735147	Collected: 02/13/21 10:08	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	3.8	ug/L	1.0	1		03/11/21 13:05	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS103		Lab ID: 70164735148	Collected: 02/13/21 10:12	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.5	ug/L	1.0	1		03/11/21 13:06	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS104		Lab ID: 70164735149		Collected: 02/13/21 10:17	Received: 03/02/21 16:00	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.8	ug/L	1.0	1		03/11/21 13:07	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGMS109		Lab ID: 70164735150	Collected: 02/13/21 10:24	Received: 03/02/21 16:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	2.1	ug/L	1.0	1		03/11/21 13:08	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Sample: SGHS065		Lab ID: 70164735151	Collected: 02/13/21 00:00	Received: 03/05/21 15:32	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		03/11/21 13:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13
Pace Project No.: 70164735

QC Batch:	199553	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735001, 70164735002, 70164735003, 70164735004, 70164735005, 70164735006, 70164735007, 70164735008, 70164735009, 70164735010, 70164735011, 70164735012, 70164735013, 70164735014, 70164735015, 70164735016, 70164735017, 70164735018, 70164735019, 70164735020		

METHOD BLANK:	981572	Matrix:	Water
Associated Lab Samples:	70164735001, 70164735002, 70164735003, 70164735004, 70164735005, 70164735006, 70164735007, 70164735008, 70164735009, 70164735010, 70164735011, 70164735012, 70164735013, 70164735014, 70164735015, 70164735016, 70164735017, 70164735018, 70164735019, 70164735020		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/10/21 16:15	

LABORATORY CONTROL SAMPLE:	981573					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.7	103	85-115	

MATRIX SPIKE SAMPLE:		981576					
		70164735001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	13.3	50	70.8	115	70-130	

MATRIX SPIKE SAMPLE:		981578					
		70164735011	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	1.6	50	63.6	124	70-130	

SAMPLE DUPLICATE: 981575

Parameter	Units	70164735001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	13.3	13.2	0	

SAMPLE DUPLICATE: 981577

Parameter	Units	70164735011 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.6	1.6	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199554	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735021, 70164735022, 70164735023, 70164735024, 70164735025, 70164735026, 70164735027, 70164735028, 70164735029, 70164735030, 70164735031, 70164735032, 70164735033, 70164735034, 70164735035, 70164735036, 70164735037, 70164735038, 70164735039, 70164735040		

METHOD BLANK:	981579	Matrix:	Water
Associated Lab Samples:	70164735021, 70164735022, 70164735023, 70164735024, 70164735025, 70164735026, 70164735027, 70164735028, 70164735029, 70164735030, 70164735031, 70164735032, 70164735033, 70164735034, 70164735035, 70164735036, 70164735037, 70164735038, 70164735039, 70164735040		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/10/21 16:46	

LABORATORY CONTROL SAMPLE:	981580					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.5	103	85-115	

MATRIX SPIKE SAMPLE:		981582					
		70164735021	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	7.5	50	62.5	110	70-130	

MATRIX SPIKE SAMPLE:		981584					
		70164735031	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	28.0	50	83.4	111	70-130	

SAMPLE DUPLICATE:	981581				
Parameter	Units	70164735021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	7.5	7.5	0	

SAMPLE DUPLICATE:	981583				
Parameter	Units	70164735031 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	28.0	28.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199567	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735041, 70164735042, 70164735043, 70164735044, 70164735045, 70164735046, 70164735047, 70164735048, 70164735049, 70164735050, 70164735051, 70164735052, 70164735053, 70164735054, 70164735055, 70164735056, 70164735057, 70164735058, 70164735059, 70164735060		

METHOD BLANK:	981608	Matrix:	Water
Associated Lab Samples:	70164735041, 70164735042, 70164735043, 70164735044, 70164735045, 70164735046, 70164735047, 70164735048, 70164735049, 70164735050, 70164735051, 70164735052, 70164735053, 70164735054, 70164735055, 70164735056, 70164735057, 70164735058, 70164735059, 70164735060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/10/21 17:18	

LABORATORY CONTROL SAMPLE:	981609					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.7	103	85-115	

MATRIX SPIKE SAMPLE:		981611					
		70164735041	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	27.9	50	82.8	110	70-130	

MATRIX SPIKE SAMPLE:		981613					
		70164735051	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4170	50	4190	37	70-130	M6

SAMPLE DUPLICATE: 981610					
		70164735041	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	27.9	27.6	1	

SAMPLE DUPLICATE: 981612

Parameter	Units	70164735051 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4170	4240	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199570	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735061, 70164735062, 70164735063, 70164735064, 70164735065, 70164735066, 70164735067, 70164735068, 70164735069, 70164735070, 70164735071, 70164735072, 70164735073, 70164735074, 70164735075, 70164735076, 70164735077, 70164735078, 70164735079, 70164735080		

METHOD BLANK: 981615

Matrix: Water

Associated Lab Samples: 70164735061, 70164735062, 70164735063, 70164735064, 70164735065, 70164735066, 70164735067, 70164735068, 70164735069, 70164735070, 70164735071, 70164735072, 70164735073, 70164735074, 70164735075, 70164735076, 70164735077, 70164735078, 70164735079, 70164735080

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/10/21 17:47	

LABORATORY CONTROL SAMPLE: 981616

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	54.1	108	85-115	

MATRIX SPIKE SAMPLE: 981618

Parameter	Units	70164735061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	42.8	50	93.4	101	70-130	

MATRIX SPIKE SAMPLE: 981620

Parameter	Units	70164735071 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	45.2	50	102	114	70-130	

SAMPLE DUPLICATE: 981617

Parameter	Units	70164735061 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	42.8	40.1	7	

SAMPLE DUPLICATE: 981619

Parameter	Units	70164735071 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	45.2	45.4	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199571	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735081, 70164735082, 70164735083, 70164735084, 70164735085, 70164735086, 70164735087, 70164735088, 70164735089, 70164735090, 70164735091, 70164735092, 70164735093, 70164735094, 70164735095, 70164735096, 70164735097, 70164735098, 70164735099, 70164735100		

METHOD BLANK: 981621

Matrix: Water

Associated Lab Samples: 70164735081, 70164735082, 70164735083, 70164735084, 70164735085, 70164735086, 70164735087, 70164735088, 70164735089, 70164735090, 70164735091, 70164735092, 70164735093, 70164735094, 70164735095, 70164735096, 70164735097, 70164735098, 70164735099, 70164735100

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 11:19	

LABORATORY CONTROL SAMPLE: 981622

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.7	103	85-115	

MATRIX SPIKE SAMPLE: 981624

Parameter	Units	70164735081 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	44.7	50	97.0	104	70-130	

MATRIX SPIKE SAMPLE: 981626

Parameter	Units	70164735091 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	8.6	50	64.1	111	70-130	

SAMPLE DUPLICATE: 981623

Parameter	Units	70164735081 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	44.7	43.4	3	

SAMPLE DUPLICATE: 981625

Parameter	Units	70164735091 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	8.6	8.5	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199572	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735101, 70164735102, 70164735103, 70164735104, 70164735105, 70164735106, 70164735107, 70164735108, 70164735109, 70164735110, 70164735111, 70164735112, 70164735113, 70164735114, 70164735115, 70164735116, 70164735117, 70164735118, 70164735119, 70164735120		

METHOD BLANK:	981627	Matrix:	Water
Associated Lab Samples:	70164735101, 70164735102, 70164735103, 70164735104, 70164735105, 70164735106, 70164735107, 70164735108, 70164735109, 70164735110, 70164735111, 70164735112, 70164735113, 70164735114, 70164735115, 70164735116, 70164735117, 70164735118, 70164735119, 70164735120		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 11:51	

LABORATORY CONTROL SAMPLE:	981628					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.3	103	85-115	

MATRIX SPIKE SAMPLE:		981630					
		70164735101	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	3.3	50	60.4	114	70-130	

MATRIX SPIKE SAMPLE:		981632					
		70164735111	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	6.5	50	61.8	111	70-130	

SAMPLE DUPLICATE: 981629

Parameter	Units	70164735101 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.3	3.2	2	

SAMPLE DUPLICATE: 981631

Parameter	Units	70164735111 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	6.5	6.5	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199573	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735121, 70164735122, 70164735123, 70164735124, 70164735125, 70164735126, 70164735127, 70164735128, 70164735129, 70164735130, 70164735131, 70164735132, 70164735133, 70164735134, 70164735135, 70164735136, 70164735137, 70164735138, 70164735139, 70164735140		

METHOD BLANK:	981633	Matrix:	Water
Associated Lab Samples:	70164735121, 70164735122, 70164735123, 70164735124, 70164735125, 70164735126, 70164735127, 70164735128, 70164735129, 70164735130, 70164735131, 70164735132, 70164735133, 70164735134, 70164735135, 70164735136, 70164735137, 70164735138, 70164735139, 70164735140		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 12:21	

LABORATORY CONTROL SAMPLE:	981634					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.1	102	85-115	

MATRIX SPIKE SAMPLE:		981636					
		70164735121	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	6.9	50	63.0	112	70-130	

MATRIX SPIKE SAMPLE:		981638					
		70164735131	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4.6	50	59.4	110	70-130	

SAMPLE DUPLICATE: 981635					
		70164735121	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	6.9	6.7	3	

SAMPLE DUPLICATE: 981637

Parameter	Units	70164735131 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	4.6	4.7	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

QC Batch:	199574	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70164735141, 70164735142, 70164735143, 70164735144, 70164735145, 70164735146, 70164735147, 70164735148, 70164735149, 70164735150, 70164735151		

METHOD BLANK:	981639	Matrix:	Water
Associated Lab Samples:	70164735141, 70164735142, 70164735143, 70164735144, 70164735145, 70164735146, 70164735147, 70164735148, 70164735149, 70164735150, 70164735151		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	03/11/21 12:53	

LABORATORY CONTROL SAMPLE:	981640					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE:		981642					
		70164735141	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	4.9	50	60.4	111	70-130	

MATRIX SPIKE SAMPLE:		981892					
		70164735151	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	56.3	111	70-130	

SAMPLE DUPLICATE: 981641					
		70164735141	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	4.9	4.9	0	

SAMPLE DUPLICATE: 981891					
		70164735151	Dup		
Parameter	Units	Result	Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 70164735

[1] Sample received not on COC: SGH065

ANALYTE QUALIFIERS

M6 Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164735001	SGHS001	EPA 200.8	199553		
70164735002	SGHS005	EPA 200.8	199553		
70164735003	SGHS008	EPA 200.8	199553		
70164735004	SGHS009	EPA 200.8	199553		
70164735005	SGHS010	EPA 200.8	199553		
70164735006	SGHS011	EPA 200.8	199553		
70164735007	SGHS012	EPA 200.8	199553		
70164735008	SGHS013	EPA 200.8	199553		
70164735009	SGHS014	EPA 200.8	199553		
70164735010	SGHS016	EPA 200.8	199553		
70164735011	SGHS017	EPA 200.8	199553		
70164735012	SGHS018	EPA 200.8	199553		
70164735013	SGHS019	EPA 200.8	199553		
70164735014	SGHS020	EPA 200.8	199553		
70164735015	SGHS032	EPA 200.8	199553		
70164735016	SGHS033	EPA 200.8	199553		
70164735017	SGHS034	EPA 200.8	199553		
70164735018	SGHS035	EPA 200.8	199553		
70164735019	SGHS036	EPA 200.8	199553		
70164735020	SGHS037	EPA 200.8	199553		
70164735021	SGHS038	EPA 200.8	199554		
70164735022	SGHS039	EPA 200.8	199554		
70164735023	SGHS040	EPA 200.8	199554		
70164735024	SGHS042	EPA 200.8	199554		
70164735025	SGHS043	EPA 200.8	199554		
70164735026	SGHS044	EPA 200.8	199554		
70164735027	SGHS045	EPA 200.8	199554		
70164735028	SGHS046	EPA 200.8	199554		
70164735029	SGHS047	EPA 200.8	199554		
70164735030	SGHS048	EPA 200.8	199554		
70164735031	SGHS049	EPA 200.8	199554		
70164735032	SGHS050	EPA 200.8	199554		
70164735033	SGHS051	EPA 200.8	199554		
70164735034	SGHS053	EPA 200.8	199554		
70164735035	SGHS054	EPA 200.8	199554		
70164735036	SGHS055	EPA 200.8	199554		
70164735037	SGHS057	EPA 200.8	199554		
70164735038	SGHS058	EPA 200.8	199554		
70164735039	SGHS062	EPA 200.8	199554		
70164735040	SGHS064	EPA 200.8	199554		
70164735041	SGHS066	EPA 200.8	199567		
70164735042	SGHS067	EPA 200.8	199567		
70164735043	SGHS068	EPA 200.8	199567		
70164735044	SGHS069	EPA 200.8	199567		
70164735045	SGHS070	EPA 200.8	199567		
70164735046	SGHS073	EPA 200.8	199567		
70164735047	SGHS076	EPA 200.8	199567		
70164735048	SGHS077	EPA 200.8	199567		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164735049	SGHS078	EPA 200.8	199567		
70164735050	SGHS079	EPA 200.8	199567		
70164735051	SGHS090	EPA 200.8	199567		
70164735052	SGHS091	EPA 200.8	199567		
70164735053	SGHS092	EPA 200.8	199567		
70164735054	SGHS093	EPA 200.8	199567		
70164735055	SGHS094	EPA 200.8	199567		
70164735056	SGHS095	EPA 200.8	199567		
70164735057	SGHS096	EPA 200.8	199567		
70164735058	SGHS100	EPA 200.8	199567		
70164735059	SGHS101	EPA 200.8	199567		
70164735060	SGHS102	EPA 200.8	199567		
70164735061	SGHS103	EPA 200.8	199570		
70164735062	SGHS104	EPA 200.8	199570		
70164735063	SGHS105	EPA 200.8	199570		
70164735064	SGHS106	EPA 200.8	199570		
70164735065	SGHS107	EPA 200.8	199570		
70164735066	SGHS122	EPA 200.8	199570		
70164735067	SGHS123	EPA 200.8	199570		
70164735068	SGHS126	EPA 200.8	199570		
70164735069	SGHS141	EPA 200.8	199570		
70164735070	SGHS146	EPA 200.8	199570		
70164735071	SGHS147	EPA 200.8	199570		
70164735072	SGHS148	EPA 200.8	199570		
70164735073	SGHS149	EPA 200.8	199570		
70164735074	SGHS150	EPA 200.8	199570		
70164735075	SGHS151	EPA 200.8	199570		
70164735076	SGHS153	EPA 200.8	199570		
70164735077	SGHS154	EPA 200.8	199570		
70164735078	SGHS155	EPA 200.8	199570		
70164735079	SGHS156	EPA 200.8	199570		
70164735080	SGHS157	EPA 200.8	199570		
70164735081	SGHS159	EPA 200.8	199571		
70164735082	SGHS160	EPA 200.8	199571		
70164735083	SGHS161	EPA 200.8	199571		
70164735084	SGHS162	EPA 200.8	199571		
70164735085	SGHS163	EPA 200.8	199571		
70164735086	SGHS164	EPA 200.8	199571		
70164735087	SGHS165	EPA 200.8	199571		
70164735088	SGHS167	EPA 200.8	199571		
70164735089	SGHS169	EPA 200.8	199571		
70164735090	SGHS170	EPA 200.8	199571		
70164735091	SGHS173	EPA 200.8	199571		
70164735092	SGHS174	EPA 200.8	199571		
70164735093	SGHS175	EPA 200.8	199571		
70164735094	SGHS176	EPA 200.8	199571		
70164735095	SGHS177	EPA 200.8	199571		
70164735096	SGHS178	EPA 200.8	199571		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164735097	SGHS179	EPA 200.8	199571		
70164735098	SGHS180	EPA 200.8	199571		
70164735099	SGHS185	EPA 200.8	199571		
70164735100	SGHS186	EPA 200.8	199571		
70164735101	SGHS187	EPA 200.8	199572		
70164735102	SGHS188	EPA 200.8	199572		
70164735103	SGMS001	EPA 200.8	199572		
70164735104	SGMS002	EPA 200.8	199572		
70164735105	SGMS004	EPA 200.8	199572		
70164735106	SGMS005	EPA 200.8	199572		
70164735107	SGMS006	EPA 200.8	199572		
70164735108	SGMS011	EPA 200.8	199572		
70164735109	SGMS014	EPA 200.8	199572		
70164735110	SGMS015	EPA 200.8	199572		
70164735111	SGMS016	EPA 200.8	199572		
70164735112	SGMS017	EPA 200.8	199572		
70164735113	SGMS018	EPA 200.8	199572		
70164735114	SGMS019	EPA 200.8	199572		
70164735115	SGMS021	EPA 200.8	199572		
70164735116	SGMS024	EPA 200.8	199572		
70164735117	SGMS025	EPA 200.8	199572		
70164735118	SGMS026	EPA 200.8	199572		
70164735119	SGMS027	EPA 200.8	199572		
70164735120	SGMS029	EPA 200.8	199572		
70164735121	SGMS031	EPA 200.8	199573		
70164735122	SGMS032	EPA 200.8	199573		
70164735123	SGMS034	EPA 200.8	199573		
70164735124	SGMS036	EPA 200.8	199573		
70164735125	SGMS037	EPA 200.8	199573		
70164735126	SGMS038	EPA 200.8	199573		
70164735127	SGMS039	EPA 200.8	199573		
70164735128	SGMS040	EPA 200.8	199573		
70164735129	SGMS041	EPA 200.8	199573		
70164735130	SGMS042	EPA 200.8	199573		
70164735131	SGMS043	EPA 200.8	199573		
70164735132	SGMS044	EPA 200.8	199573		
70164735133	SGMS045	EPA 200.8	199573		
70164735134	SGMS046	EPA 200.8	199573		
70164735135	SGMS055	EPA 200.8	199573		
70164735136	SGMS056	EPA 200.8	199573		
70164735137	SGMS058	EPA 200.8	199573		
70164735138	SGMS059	EPA 200.8	199573		
70164735139	SGMS061	EPA 200.8	199573		
70164735140	SGMS070	EPA 200.8	199573		
70164735141	SGMS071	EPA 200.8	199574		
70164735142	SGMS072	EPA 200.8	199574		
70164735143	SGMS075	EPA 200.8	199574		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SCOTIA GLENVILLE CSD 2/13

Pace Project No.: 70164735

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70164735144	SGMS077	EPA 200.8	199574		
70164735145	SGMS082	EPA 200.8	199574		
70164735146	SGMS083	EPA 200.8	199574		
70164735147	SGMS084	EPA 200.8	199574		
70164735148	SGMS103	EPA 200.8	199574		
70164735149	SGMS104	EPA 200.8	199574		
70164735150	SGMS109	EPA 200.8	199574		
70164735151	SGHS065	EPA 200.8	199574		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

WO#: 70164735

[illegible]



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard Schenectady, NY 12305	Copy To:		Company Name:	
Email:	john.tranter@intertek.com	Purchase Order #:		Address:	
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Quote:	
Fax:		Project #:	03214018	Pace Project Manager:	nicolette.iovan@paceclabs.com
Requested Due Date:				Pace Profile #:	0

#	ITEM	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	SAMPLE TEMP AT COLLECTION		# OF CONTAINERS	Preservatives								Analyses Test	Y/N	Lead	Residual Chlorine (Y/N)	SAMPLE CONDITIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Drinking Water	Waste Water		Product	Oil		Wipe	Air	Other	Tissue	Unpreserved	H2SO4	HNO3	HCl						NaOH	Na2S2O3	Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																											START	END	DATE	TIME																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	DATE Signed: 3/11/21
SIGNATURE of SAMPLER:	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: Intertek-PSI
Address: 104 Erie Boulevard
Schenectady, NY 12305
Email: john.tranter@intertek.com
Phone: 518-377-9841 Fax:

Section B

Required Project Information:

Report To: John Tranter
Copy To:
Purchase Order #:
Project Name: Scotia-Glenville CSD
Project #: 0214028

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: nicole.lovati@pacelabs.com
Pace Profile #: 0

Regulatory Agency

State / Location

NY

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -) Sample ids must be unique										MATRIX CODE (see valid codes to left)		SAMPLE TYPE (G=GRAB C=COMP)		COLLECTED		SAMPLE TEMP AT COLLECTION		# OF CONTAINERS	Preservatives							Analyses Test	Y/N											Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	MATRIX		CODE		START	END	DATE	TIME	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT		WT	WT	WT	WT	WT	WT	WT			WT	WT	WT	WT	WT	WT	WT	WT	WT	WT		WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT

ITEM #	ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS	
		Denny Cooper		3/1/21	14:2	Denny Cooper		3/1/21	14:3		
		John Tranter		3/1/21	15:30	John Tranter		3-1-21	15:30		
		John Tranter		3-2-21	16:00	Carlyne Padli		3/2/21	16:00	12.3 N	N

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples (Y/N)
PRINT Name of SAMPLER:	SIGNATURE of SAMPLER:							
Denny Cooper	Denny Cooper							
John Tranter	John Tranter							

DATE Signed: 3/1/21



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 4 Of 4

Section A

Section B

Section C

Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12305				Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Quote:	
Phone:	518-377-9841	Project Name:	Scotia-Glenville USD	Pace Project Manager:	nicolette.lovat@pacelabs.com
Requested Due Date:		Project #:	08114017	Pace Profile #:	0

#	ITEM	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	DATE	TIME	END	DATE	TIME	# OF CONTAINERS	Preservatives										Y/N	Analyses Test	Lead	Residual Chlorine (Y/N)	SAMPLE CONDITIONS
				START	END								H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other								
37	SGHS040						3/13/21	13:53																023			
38	SGHS041		N/A					14:00																024			
39	SGHS042							14:01																025			
40	SGHS043							14:05																026			
41	SGHS044							14:06																027			
42	SGHS045							14:07																028			
43	SGHS046							14:08																029			
44	SGHS047							14:13																030			
45	SGHS048							14:14																031			
46	SGHS049							14:15																032			
47	SGHS050							14:16																033			
48	SGHS051																										

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
	Dennis Cooper	3/11/21	14:22	Dennis Cooper	3/11/21	14:22
	John Tranter	3/11/21	15:30	John Tranter	3/11/21	15:30
	Dennis Cooper	3-22-21	16:00	Dennis Cooper	3/22/21	16:00

TEMP in C	Received on	Ice (Y/N)	Custody	Sealed	Cooler	Samples (Y/N)
12.3	N	N	N	N	N	N

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Dennis Cooper
SIGNATURE of SAMPLER:	[Signature]
DATE Signed:	3/11/21



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12305				Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Project Manager:	nicole.lovati@pacelabs.com,
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Profile #:	0
Requested Due Date:		Project #:	08714078		

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	DATE	TIME	SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	Preservatives										Analyses Test	Y/N	Lead	Residual Chlorine (Y/N)										
			START	END								Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other																
49	SGHS052	N/A			14:17				WT																								034		
50	SGHS053				14:23				WT																								035		
51	SGHS054				14:28				WT																								036		
52	SGHS055								WT																									037	
53	SGHS056	N/A			14:33				WT																									038	
54	SGHS057				14:34				WT																									039	
55	SGHS058				14:39				WT																									040	
56	SGHS062				14:42				WT																										041
57	SGHS064				14:59				WT																										042
58	SGHS065								WT																										
59	SGHS066								WT																										

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS				
								Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)
	Dennis Cooper	3/1/12	14:12			3/1/12	14:15					
	John Tranter	3/1/12	15:30			3-1-12	15:30					
	John Tranter	3-2-12	16:00			3/2/12	16:00	12.3	N	N	N	N
SAMPLER NAME AND SIGNATURE												
PRINT Name of SAMPLER: Dennis Cooper												
SIGNATURE of SAMPLER: [Signature]												
DATE Signed: 3/1/12												



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY	12305	Purchase Order #:		Address:	
Email:	john.tranter@intertek.com	Project Name:	Scotia-Glenville CSD	Pace Quote:	
Phone:	518-377-9841	Requested Due Date:	03/21/2023	Pace Project Manager:	nicolette.lovari@pacelabs.com
				Pace Profile #:	0
				State / Location:	NY
				Regulatory Agency:	

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique										MATRIX				CODE				COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test	Y/N	Lead	Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	MATRIX				CODE				DATE	TIME	DATE	TIME	START	END	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3			Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
	Drinking Water	Waste Water	Product	Soil/Solid	Oil	Wipe	Air	Other																	Tissue	DW	WW	P	SL	OL						WP	AR	OT	TS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
61	SGHS068	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT	WT

ITEM #	ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		DATE		TIME		ACCEPTED BY / AFFILIATION		DATE		TIME		SAMPLE CONDITIONS	
		Dennis Cooper		3/13/23		14:12		Dennis Cooper		3/13/23		14:15			
		Dennis Cooper		3/13/23		15:30		Dennis Cooper		3/13/23		15:30			
		Dennis Cooper		3/13/23		16:00		Dennis Cooper		3/13/23		16:00			

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on	Sealed	Custody	Cooler	Samples
PRINT Name of SAMPLER: Dennis Cooper							
SIGNATURE of SAMPLER: [Signature]							
DATE Signed: 3/13/23							



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A			Section B			Section C											
Required Client Information:			Required Project Information:			Invoice Information:											
Company:	Intertek-PSI		Report To:	John Tranter		Attention:											
Address:	104 Erie Boulevard		Copy To:			Company Name:											
Schenectady, NY 12305						Address:											
Email:	john.tranter@intertek.com		Purchase Order #:			Pace Quote:											
Phone:	518-377-9841	Fax:	Project Name:	Scotia-Glenville CSD		Pace Project Manager:	nicole.lovati@pacelabs.com,										
Requested Due Date:			Project #:	01214018		Pace Profile #:	0										
ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Y/N	Analyses Test	Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)			
			START	END													
73	SGHS080	N/A			2/13/21												
74	SGHS081	N/A															
75	SGHS082	N/A															
76	SGHS083	N/A															
77	SGHS090				2/13/21	7:17									051		
78	SGHS091				7:21										052		
79	SGHS092				9:02										053		
80	SGHS093				7:25										054		
81	SGHS094				7:27										055		
82	SGHS095				7:29										056		
83	SGHS096				7:30										057		
84	SGHS098	N/A															
ADDITIONAL COMMENTS															SAMPLE CONDITIONS		
Dennis Cooper 3/1/21 14:2															3/1/21 14:25		
Willie Pace 3/1/21 15:30															3-1-21 15:30		
Dennis Cooper 3-2-21 16:00															3/2/21 16:00		
Constantine Pace															123 N N Y		
Dennis Cooper															TEMP in C		
PRINT Name of SAMPLER:															DATE Signed: 3/1/21		
SIGNATURE of SAMPLER:															Samples (Y/N)		
															Sealed Cooler (Y/N)		
															Custody (Y/N)		
															Received on		
															Intact (Y/N)		



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 8 Of 8

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
	Schenectady, NY 12305			Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Quote:	
Phone:	518-377-9841	Fax:		Project Manager:	nicolette.livari@paceclabs.com,
Requested Due Date:		Project #:	727402	Pace Profile #:	0
				State / Location	
				NY	
				Regulatory Agency	

[illegible]

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS											
									TEMP in C	Received on ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)								
	Dennis Cooper 3/1/21		3/1/21	1:12	Dennis Cooper		3/1/21	1:45												
	Matt aka psc 3/1/21		3/1/21	15:30	Dennis Cooper		3-1-21	1530												
	Dennis Cooper 3-2-21		3-2-21	16:00	Dennis Cooper		3/2/21	16:00	123	N	N	Y								
<table border="1"> <thead> <tr> <th colspan="2">SAMPLER NAME AND SIGNATURE</th> </tr> </thead> <tbody> <tr> <td>PRINT Name of SAMPLER:</td> <td>Dennis Cooper</td> </tr> <tr> <td>SIGNATURE of SAMPLER:</td> <td>Dennis Cooper</td> </tr> <tr> <td colspan="2">DATE Signed: 3/1/21</td> </tr> </tbody> </table>													SAMPLER NAME AND SIGNATURE		PRINT Name of SAMPLER:	Dennis Cooper	SIGNATURE of SAMPLER:	Dennis Cooper	DATE Signed: 3/1/21	
SAMPLER NAME AND SIGNATURE																				
PRINT Name of SAMPLER:	Dennis Cooper																			
SIGNATURE of SAMPLER:	Dennis Cooper																			
DATE Signed: 3/1/21																				



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12305				Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Quote:	
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Project Manager:	nicollette.lovari@pacelabs.com
Requested Due Date:		Project #:	08210018	Pace Profile #:	0
				State / Location:	NY
				Regulatory Agency:	

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	DATE		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Requested Analysis Filtered (Y/N)										Analyses Test	Y/N	Preservatives	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Lead	Residual Chlorine (Y/N)
			START	END		DATE	TIME																									
97	SGHS126	WT	7/26/18	8:08		7/26/18	8:08																									068
98	SGHS141	WT				8/1/18																										069
99	SGHS146	WT				8/1/18																										070
100	SGHS147	WT				8/21/18																										071
101	SGHS148	WT				8/1/18																										072
102	SGHS149	WT				8/21/18																										073
103	SGHS150	WT				8/21/18																										074
104	SGHS151	WT				8/30/18																										075
105	SGHS153	WT				8/30/18																										076
106	SGHS154	WT				8/30/18																										077
107	SGHS155	WT				8/30/18																										078
108	SGHS156	WT				8/30/18																										079

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		DATE		TIME		ACCEPTED BY / AFFILIATION		DATE		TIME		SAMPLE CONDITIONS	
	Dennis Cooper		3/1/21		14:2				3/1/21		14:25			
	Matt Allen DSE		3/1/21		15:30		 - paco		3-1-21		15:30			
	 - paco		3-2-21		16:00		Constantino Peltier		3/2/21		16:00		N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	
													N	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page : 10 Of 10

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
	Schenectady, NY 12305			Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Project Manager:	nicolette.lovati@pacelabs.com
Phone:	518-377-9841	Project Name:	Scolia-Glenville CSD	Pace Profile #:	0
Requested Due Date:		Project #:	8319061		

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	DATE		TIME	DATE		TIME	Y/N	Requested Analysis Filtered (Y/N)										Residual Chlorine (Y/N)
			START	END		DATE	TIME		DATE	TIME													
109	SGHS157	WT				3/1/21	8:14																080
110	SGHS158	WT																					081
111	SGHS159	WT					8:57																082
112	SGHS160	WT					8:52																083
113	SGHS161	WT					8:53																084
114	SGHS162	WT					8:54																085
115	SGHS163	WT					8:55																086
116	SGHS164	WT					9:01																087
117	SGHS165	WT					9:03																088
118	SGHS166	WT																					
119	SGHS167	WT																					
120	SGHS168	WT																					

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE		TIME		ACCEPTED BY / AFFILIATION		DATE		TIME		SAMPLE CONDITIONS	
Dennis Cooper		Dennis Cooper		3/1/21		1:42		Dennis Cooper		3/1/21		1:45			
Matt Allen		Matt Allen		3/1/21		1:30		Dennis Cooper		3-1-21		15:30			
Dennis Cooper		Dennis Cooper		3-2-21		16:00		Constantine		3/2/21		6:00		N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	
														N	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: Intertek-PSI
Address: 104 Erie Boulevard
Schenectady, NY 12305
Email: john.tranter@intertek.com
Phone: 518-377-9841 Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: John Tranter
Copy To:
Purchase Order #:
Project Name: Scotia-Glenville CSD
Project #: 08214028

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Project Manager: nicole.lovat@pacelabs.com
Pace Quote:
Pace Profile #: 0

Page : 11 Of 11

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	DATE	TIME	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	TEMP in C	Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples (Y/N)
			START	END															
121	SGHS169	WT			WT	9/27/16	9:09												0801
122	SGHS170	WT			WT	9/27/16	9:16												090
123	SGHS172	WT			WT	9/27/16	9:21												091
124	SGHS173	WT			WT	9/27/16	9:22												092
125	SGHS174	WT			WT	9/27/16	9:23												093
126	SGHS175	WT			WT	9/27/16	9:24												094
127	SGHS176	WT			WT	9/27/16	9:27												095
128	SGHS177	WT			WT	9/27/16	9:28												096
129	SGHS178	WT			WT	9/27/16	9:29												097
130	SGHS179	WT			WT	9/27/16	9:30												098
131	SGHS180	WT			WT														
132	SGHS181	WT			WT														

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		DATE		TIME		ACCEPTED BY / AFFILIATION		DATE		TIME		SAMPLE CONDITIONS				
	PRINT Name of SAMPLER	SIGNATURE of SAMPLER	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME	TEMP in C	Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples (Y/N)
	Dennis Cooper	Dennis Cooper	3/1/21	14:12	3/1/21	14:12	3/1/21	14:12	3/1/21	14:12							
	Dennis Cooper	Dennis Cooper	3/1/21	15:30	3/1/21	15:30	3/1/21	15:30	3/1/21	15:30							
	Dennis Cooper	Dennis Cooper	3/1/21	16:00	3/1/21	16:00	3/1/21	16:00	3/1/21	16:00							



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12306		Purchase Order #:		Address:	
Email:	john.tranter@intertek.com	Project Name:	Scotia-Glenville CSD	Pace Project Manager:	nicole.lovari@pacelabs.com,
Phone:	518-377-9841	Project #:	087193	Pace Profile #:	0
Requested Due Date:					

ITEM #	MATRIX	CODE	COLLECTED		DATE	TIME	SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analyses Test	Y/N	Lead																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
--------	--------	------	-----------	--	------	------	-----------------------------	---------------------------------------	---------------------------	-----------------	---------------	--	--	--	--	--	--	--	--	--	---------------	-----	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE		TIME		ACCEPTED BY / AFFILIATION		DATE		TIME		SAMPLE CONDITIONS	
Dennis Cooper		Dennis Cooper		3/1/21		1:42		Dennis Cooper		3/1/21		1:45			
John Tranter		John Tranter		3/1/21		15:30		John Tranter		3-1-21		15:30			
Pace Labs		Pace Labs		3-2-21		16:00		Pace Labs		3/2/21		16:00		N	
														N	
														Y	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12305				Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Quote:	
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Project Manager:	nicole.lovani@pacelabs.com
Fax:		Project #:	08240828	Pace Profile #:	0
Requested Due Date:				State / Location NY	

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	SAMPLE TEMP AT COLLECTION		# OF CONTAINERS	Preservatives										Analyses Test	Y/N											Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Drinking Water	Waste Water		Product	Soil/Solid		Oil	Wipe	Air	Other	Tissue	H2SO4	HNO3	HCl	NaOH	Na2S2O3														Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																																		START	END																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
169	SGMS 033	N/A			WT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS	
Dennis Cooper 3/12/14 1:42		Dennis Cooper		3/12/14	1:42	Dennis Cooper		3/12/14	1:42	Received on	
Dennis Cooper 3/12/14 1:53		Dennis Cooper		3/12/14	1:53	Dennis Cooper		3/12/14	1:53	Ice	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	Sealed	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	Cooler	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	Custody	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	Intact	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	Samples	
Dennis Cooper 3/21/14 16:00		Dennis Cooper		3/21/14	16:00	Dennis Cooper		3/21/14	16:00	(Y/N)	



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
Schenectady, NY 12305				Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Quote:	
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Project Manager:	nicole.lovani@pacelabs.com
Requested Due Date:		Project #:	08214028	Pace Profile #:	0
				State / Location	NY
				Regulatory Agency	

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample ids must be unique		MATRIX CODE (see valid codes to left)		SAMPLE TYPE (G=GRAB C=COMP)		COLLECTED			SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test	Y/N													Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
							DATE	TIME	DATE			TIME	END	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3			Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
181		SGMS 046	WT		2/13/21	8:33																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS												Received on	Ice (Y/N)	Custody (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)
	Deonny Cooper	3/12/21	1:42	Deonny Cooper	3/12/21	1:45																		
	Deonny Cooper	3/12/21	15:30	Deonny Cooper	3-12-21	15:30																		
	Deonny Cooper	3-12-21	16:00	Deonny Cooper	3/12/21	16:00																		

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER:	Deonny Cooper
SIGNATURE of SAMPLER:	Deonny Cooper
DATE Signed:	3/12/21



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
	Schenectady, NY 12305			Address:	
Email:	john.tranter@intertek.com	Purchase Order #:		Pace Project Manager:	nicole.lovati@pacelabs.com
Phone:	518-377-9841	Project Name:	Scotia-Glenville CSD	Pace Profile #:	0
Requested Due Date:		Project #:	03214028		

#	ITEM	SAMPLE ID										MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED			SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test	Y/N	Lead	Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		MATRIX	CODE	Drinking Water	Water	Waste Water	P	Product	Soil/Solid	Oil	Wipe			Air	Other	Tissue			START	END	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3						Methanol	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	193																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS	
								Ice (Y/N)	Custody (Y/N)
	Dennis Cooper	3/1/24	1:42			3/1/24	14:15		
	Dennis Cooper	3/1/24	15:30			3-1-24	15:30		
	Dennis Cooper	3-2-24	16:00			3-2-24	16:00	12.3	N W Y

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on	Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER:	Dennis Cooper				
SIGNATURE of SAMPLER:	Dennis Cooper	DATE Signed:	3/1/24		



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company:	Intertek-PSI	Report To:	John Tranter	Attention:	
Address:	104 Erie Boulevard	Copy To:		Company Name:	
	Schenectady, NY 12305			Address:	
		Purchase Order #:		Pace Quote:	
Fax:		Project Name:	Scoti-Clerville CSD	Pace Project Manager:	nicollette.livari@pacelabs.com,
Phone:	518-377-9841	Project #:	082149068	Pace Profile #:	0
Requested Due Date:		NY			
		Regulatory Agency			
		State / Location			

[illegible]



Sample Condition Upon Receipt

Client Name:

Proje

WO#: 70164735

PM: NML

Due Date: 03/16/21

CLIENT: INTERTEKLEAD

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #: 9099 9901 4395

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals intact: ☒ Yes ☐ No

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☒ None ☐ Other

Thermometer Used: TH091

Correction Factor: +0.0

Cooler Temperature (°C): 13.2

Cooler Temperature Corrected (°C): 13.2

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Date and Initials of person examining contents: CH 3/3/21

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ Yes ☐ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

Chain of Custody Present:		1.
☒ Yes ☐ No		
Chain of Custody Filled Out:	☒ Yes ☐ No	2.
Chain of Custody Relinquished:	☒ Yes ☐ No	3.
Sampler Name & Signature on COC:	☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume: (Triple volume provided for)	☒ Yes ☐ No	8.
Correct Containers Used:	☒ Yes ☐ No	9.
-Pace Containers Used:	☒ Yes ☐ No	10.
Containers Intact:	☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests	☐ Yes ☐ No ☒ N/A	Note if sediment is visible in the dissolved container.
Sample Labels match COC:	☒ Yes ☐ No	12.
-Includes date/time/ID, Matrix: SL, WT, OIL		
All containers needing preservation have been checked?	☒ Yes ☐ No ☐ N/A	13.
pH paper Lot # HCO 25486		
All containers needing preservation are found to be in compliance with method recommendation?	☒ Yes ☐ No ☐ N/A	Sample #
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)		
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		
Per Method, VOA pH is checked after analysis		Initial when completed: Lot # of added preservative: Date/Time preservative added:
Samples checked for dechlorination:	☐ Yes ☐ No ☒ N/A	14.
KI starch test strips Lot #		
Residual chlorine strips Lot #		Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sulfide?	☐ Yes ☐ No ☒ N/A	15.
Lead Acetate Strips Lot #		
Headspace in VOA Vials (>6mm):	☐ Yes ☐ No ☒ N/A	16.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	17.
Trip Blank Custody Seals Present	☐ Yes ☐ No ☒ N/A	
Pace Trip Blank Lot # (if applicable):		

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

5 SGH 065 was given as a sample logged at the end of the workorder